

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	537006	(speed velocity) near5 (determin\$5 measur\$5 calculat\$5 deriv\$5 comput\$5 sensor hall magneto\$1resist\$4 probe transducer coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:43
S2	79771	S1 and (distance gap air\$1gap) near5 (determin\$5 measur\$5 calculat\$5 deriv\$5 comput\$5 sensor hall magneto\$1resist\$4 probe transducer coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 22:11
S3	25288	S2 and (gear (magnet\$3 electric\$3) near5 (field flux))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 19:26
S4	10371	S3 and (threshold reference near5 (level voltage value current signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 19:28
S5	1439	S4 and (adapt\$3 chang\$3 alter\$3) near5 (threshold reference near5 (level voltage value current signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 19:28
S8	12798	324/207.\$ccls. 324/160-180.ccls. 33/1PT, 1N.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 19:31
S9	68	S8 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 19:31
S10	3	("4370614"   "6242904"   "6498474").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/30 19:33
S11	1681	((distance gap air\$1gap) near5 (determin\$5 measur\$5 calculat\$5 deriv\$5 comput\$5 sensor hall magneto\$1resist\$4 probe transducer coil winding) with (speed velocity)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 19:56

## EAST Search History

S12	19	S11 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 20:16
S17	2	"4999579"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:00
S20	77	S8 and (upper near5 (limit threshold)) and (lower near5 (limit threshold)) and amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:08
S21	17	S8 and (upper near5 (limit threshold)) same amplitude and (lower near5 (limit threshold)) same amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:25
S22	140	S8 and (determin\$5 comput\$5 calculat\$5 deriv\$5) near5 (velocity speed) same (threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:32
S23	18	S8 and (determin\$5 comput\$5 calculat\$5 deriv\$5) near5 (velocity speed) same (threshold) same amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:33
S24	1	("6181127").URPN.	USPAT	OR	ON	2006/04/30 21:42
S25	2	("4902970"   "6008638").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/30 21:42
S26	1378	324/166.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:46
S27	148	S26 and (gap air\$1gap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 21:46

## EAST Search History

S28	3	("4370614"   "6242904"   "6498474").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/30 21:48
S29	3	("6215297").URPN.	USPAT	OR	ON	2006/04/30 22:09
S30	4	("4902970"   "5231351"   "5451867"   "5998989").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/30 22:11
S31	46	S8 and (speed velocity) near5 (limit threshold) and (limit threshold) near5 (percent\$5 difference differential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/04/30 22:12
S32	537006	(speed velocity) near5 (determin\$5 measur\$5 calculat\$5 deriv\$5 comput\$5 sensor hall magneto\$1resist\$4 probe transducer coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 12:39
S33	79771	S32 and (distance gap air\$1gap) near5 (determin\$5 measur\$5 calculat\$5 deriv\$5 comput\$5 sensor hall magneto\$1resist\$4 probe transducer coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 12:39
S34	25288	S33 and (gear (magnet\$3 electric\$3) near5 (field flux))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 12:39
S35	10371	S34 and (threshold reference near5 (level voltage value current signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 12:39
S36	1439	S35 and (adapt\$3 chang\$3 alter\$3) near5 (threshold reference near5 (level voltage value current signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 13:08
S37	2255	324/166,174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 13:17

## EAST Search History

S38	12798	324/207.S.ccls. 324/160-180.ccls. 33/1PT, 1N.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 13:18
S40	67	S38 and (distance adj (probe sensor transducer) and (speed near5 (probe transducer sensor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/01 13:18